

**Kurs****6/7**

Emzirmenin anneye faydaları*

*Fatma Nur Sari***

***1000 Gün, Anne Sütü Kursu çalışmasıdır, Ankara*

*** Doç. Dr. Pediatri, Neonatoloji, Sağlık Bil. Üniv. Zekai Tahir Burak Kadın Sağlığı E.A.H., Ankara*

Katkıda Bulunan/Contributor

*M. Arif Akşit**

**Prof. Dr. Pediatri, Neonatoloji ve Ped. Genetik Uzmanı, Acıbadem Hast., Eskişehir*

Emzirme tek taraflı, sadece bebeğe yararlı bir işlem değildir, anneye olduğu kadar, topluma, insanlığa ve ahlak felsefesine (etik) katkıları olan bir yaklaşımdır. Tüm memelilerde olan ve olması yaşamsal ve sosyal anlamda varlığı temsil eden bir yaklaşımdır.

S ağığın memelilerde oluşması ve etkin ve verimli şekilde olumlu olarak oluşması açısından anne sütüne gereksinimleri kaçınılmazdır ve hayvanlarda özellikle ilk süt/ağız (kolostrum) almazlarsa infeksiyondan kurutulmaları bir bakıma olanaksız gibidir. Anne sütü yaşamsal değeri vardır ve bunun anneye, topluma sevgi katkısı unutulmamalıdır.

Özet

Emzirmenin anneye faydaları

Amaç: Emzirmenin anneye de faydaları olduğu dikkatlere getirilmelidir.

Giriş: Yaşamın ilk 6 ayında sadece anne sütü ile beslenme önerilmektedir. Emzirmenin bebek için kanıtlanmış pek çok yararı vardır. İlaveten emzirmenin hem laktasyon sırasında hem de uzun dönemde anne için de faydaları bulunmaktadır.

Sonuç: Bu faydalar ilk 6 ay sadece anne sütü verilmesi ve toplam emzirme süresinin uzunluğu ile ilişkili bulunmuştur.

Yorum: Emzirme, optimal anne sağlığına olacak katkıları nedeni ile oldukça önemlidir.

Anahtar Kelimeler: Anne sütü, emzirmenin anneye yararları

Outline

Breast-Feeding; The Benefit to the Mother

AIM: Breast-feeding has also positive contributions to the mother, that discussed at this Unit.

Introduction: Breast milk is recommended as the infant's sole source of nutrition for the first 6 months of life. Breastfeeding provides a lot of benefits to the infant. In addition, breastfeeding is associated with benefits to the mother during lactation and long-term.

Conclusion: These benefits are found to be associated with the exclusivity of breastfeeding within the first 6 month and duration of breastfeeding. Breastfeeding is of great importance for the contribution to optimal maternal health.

Key Words: Breast-feeding, positive effect to mothers

Emzirmenin Anneye Faydaları

Fatma Nur Sarı

Giriş

Her bebek için en iyi besin kendi annesinin sütüdür. Her annenin sütü bebeği için özeldir ve yaşam için en iyi başlangıçtır (1). Emzirmenin bebek için kanıtlanmış pek çok faydasının yanında, anne için hem laktasyon sırasında hem de uzun dönemdeki faydaları tek başına 6 ay anne sütü verilmesi ve toplam emzirme süresinin uzunluğu ile ilişkili bulunmuştur. Emzirmenin bebek ve anne sağlığı yanında aile ve toplum ekonomisine olan katkıları da göz önünde bulundurulmalıdır (2).

Emzirmenin Laktasyon Dönemindeki Faydaları

Emzirmenin laktasyon sırasında olan faydaları arasında; uterin involusyonda hızlanma, annenin strese olan cevabında azalma, gebelik öncesi kiloya daha çabuk dönme ve postpartum anovulasyonda uzama sayılmaktadır.

Uterin involusyonda uzama: Emzirme ile beraber arka hipofizden salgılanan oksitosin uterus involusyonunu hızlandırır. Bu durum annede postpartum kanama ve dolayısı ile de anemi riskini azaltır (3.4).

Annenin strese olan cevabında azalma: Nöroendokrin peptitler, oksitosin ve prolaktin stres aksının önemli bileşenleri olup ve anne bebek bağlanması üzerine pozitif etkileri mevcuttur (5).

Emzirme, anne ile bebeği arasında yakın ve sevgi dolu bir ilişki kurulmasına yardımcı olur. Emziren anneler bebeklerine daha şefkatli davranırlar. Yapılmış olan bir çalışmada bebeklerini anne sütü ile besleyen annelerde mama ile besleyenlere nazaran bebeklerini terk etme veya hırpalama olasılığının daha düşük olduğu gösterilmiştir (6).

Doğum sonrası kiloya geri dönme: Emzirme annenin doğum öncesi kiloya dönmesi kolaylaştırır. Bebeğini sadece anne sütü ile besleyen anneler, emzirme ile günde yaklaşık olarak 500 kcal harcamaktadırlar. Bebeklerini 6 ay ve daha uzun süre anne sütü ile besleyen annelerde doğum sonrası kilo kaybı, yağ dokusu kaybı ve deri altı kıvrım kalınlığında azalma emzirmeyen annelere göre daha belirgin olmaktadır (7).

Postpartum anovulasyonda uzama: Emzirme ile yükselen prolaktin düzeyleri hipotalamus ve over üzerine etki ederek over fonksiyonlarını etkilemekte ve ovulasyonu önlemektedir. Ancak emziren annelerde amenorenin süresi ve luteal fonksiyonların geri dönüşü değişkenlik göstermektedir. Farklı anne bebek çiftleri, farklı toplumlar, farklı emzirme paternleri, endorganların bireysel cevap özellikleri, hormonlardaki varyasyonlar (mikroheterojenite, hormon oranları) bu değişkenlikte rol oynayan faktörlerdir. Bu sebeple emzirme anovulasyonu uzatsa da güvenilir bir kontrasepsiyon yöntemi olarak görülmemelidir (8).

Emzirmenin Uzun Dönemdeki Faydaları

Emzirmenin uzun dönem faydaları arasında; meme ve over kanseri riskinde azalma, kardiyovasküler hastalık riskinde potansiyel bir azalma ve tip 2 diabetes mellitus riskinde azalma sayılmaktadır. Emzirme ve osteoporoz ilişkisi netlik kazanmamıştır.

Kanser: Yapılan çalışmalarda emziren kadınlarda yaşam süresince östrojene maruziyetin daha az olmasına bağlı olarak meme ve over kanseri riskinin azaldığı gösterilmiştir. Bu konuda yayımlanan bir meta analize göre meme kanseri tanısı alan kadınlar almayanlara nazaran daha az emzirme süresine sahip bulunmuştur. Başka bir meta analiz sonucuna göre ise en az 12 ay süre ile emziren kadınlarda hiç emzirmeyenlere göre over kanseri riski %28 daha düşük bulunmuştur (2)

Kardiyovasküler hastalık: Postmenapozal kadınlarda yapılan bir çalışmada bebeğini hiç emzirmeyenlerin bebeğini emzirenlere göre hipertansiyon, diyabet, hiperlipidemi ve kardiyovasküler hastalık açısından daha riskli olduğu gösterilmiştir (9). Benzer şekilde başka bir çalışmada da yaşamları süresince 2 yıl emziren annelerde hiç emzirmeyenlere kıyasla koroner arter hastalığı riskinin azaldığı gösterilmiştir (10). Yukarıda bahsedilen çalışmalardan elde edilen bilgiler ışığında kümülatif emzirme kardiyovasküler hastalık riskini azaltıyor görünmektedir.

Diabetes Mellitus: Plasental hormonların anne üzerindeki anti-insülin etkileri sebebi ile gebelikte insülin rezistansı olmaktadır. İnsülin metabolizmasındaki bu değişiklikler, gestasyonel diyabete sebep olabilirken, ileriki yaşamda da tip 2 diabetes mellitus riskini artırabilmektedir. Buna karşın, emzirme ile insülin duyarlılığının düzeldiği ve doğumdan sonraki yıllarda tip 2 diabetes mellitus riskini azalttığı gösterilmiştir. Emzirmenin bu koruyucu etkisi gestasyonel diabetes mellitusu olan veya olmayan tüm kadınlar için geçerli bulunmuştur (11,12).

Osteoporoz: Emzirmenin osteoporozu riskini azaltıp azaltmadığı açık değildir. Yapılan bir çalışmada emzirme öyküsünün osteoporozu karşı koruyucu bir etkisinin olduğu gösterilmiştir. Ancak diğer çalışmalarda emzirme ile kemik mineral dansitesi ve osteoporoz arasında ilişki gösterilememiştir (13,14).

Bütün bu bilgilerin ışığında, emzirmenin anneye faydalı etkileri, emzirme süresi uzadıkça arttığından ilk 6 ay sadece anne sütü ile beslenme, daha sonra da ek besinlerle beraber emzirmenin sürdürülmesi önerilmektedir.

Kaynaklar

- 1) Eidelman AI, Schanler RJ, Jonston M, et al. Breastfeeding and the use of human milk. *Pediatrics* 2012; 129(3):e827-41.
- 2) Dieterich CM, Felice JP, O'Sullivan E, et al. Breastfeeding and health outcomes for the mother-infant dyad. *Pediatr Clin N Am* 60 (2013):31-48.
- 3) Riordan J. Anatomy and psychophysiology of lactation. In: *Breastfeeding and Human Lactation*, Riordan J, Auerbach KG (Eds), Jones and Bartlett, Boston 1993. p.83.
- 4) [Chua S, Arulkumaran S, Lim I, et al. Influence of breastfeeding and nipple stimulation on postpartum uterine activity. *Br J Obstet Gynaecol* 1994; 101:804.](#)
- 5) [Carter CS, Altemus M. Integrative functions of lactational hormones in social behavior and stress management. *Ann N Y Acad Sci* 1997; 807:164.](#)
- 6) [Strathearn L, Mamun AA, Najman JM, et al. Does breastfeeding protect against substantiated child abuse and neglect? A 15-year cohort study. *Pediatrics* 2009; 123:483.](#)
- 7) [Dewey KG, Heinig MJ, Nommsen LA. Maternal weight-loss patterns during prolonged lactation. *Am J Clin Nutr* 1993; 58:162.](#)
- 8) [Wang IY, Fraser IS. Reproductive function and contraception in the postpartum period. *Obstet Gynecol Surv* 1994; 49:56.](#)
- 9) [Schwarz EB, Ray RM, Stuebe AM, et al. Duration of lactation and risk factors for maternal cardiovascular disease. *Obstet Gynecol* 2009; 113:974.](#)
- 10) [Stuebe AM, Michels KB, Willett WC, et al. Duration of lactation and incidence of myocardial infarction in middle to late adulthood. *Am J Obstet Gynecol* 2009; 200:138.e1.](#)
- 11) [Gunderson EP, Hurston SR, Ning X, et al. Lactation and Progression to Type 2 Diabetes Mellitus After Gestational Diabetes Mellitus: A Prospective Cohort Study. *Ann Intern Med* 2015; 163:889.](#)
- 12) [Stuebe AM, Rich-Edwards JW, Willett WC, et al. Duration of lactation and incidence of type 2 diabetes. *JAMA* 2005; 294:2601.](#)

- 13) Chowdhury R, Sinha B, Sankar MJ, et al. Breastfeeding and maternal health outcomes: a systematic review and meta-analysis. *Acta Paediatr* 2015;104:96.
- 14) Cumming RG, Klineberg RJ. Breastfeeding and other reproductive factors and the risk of hip fractures in elderly women. *Int J Epidemiol* 1993; 22:684.

Konu ile ilgili Kaynaklar/Literatür Verileri

1) [Why Breast is Best 5 Comments](#)

<http://www.askdrsears.com/topics/feeding-eating/breastfeeding/why-breast-is-best/7-ways-breastfeeding-benefits-mothers>

August 8, 2013 [drsearsinstitute Why Breast is Best 5 Comments](#)

7 Ways Breastfeeding Benefits Mothers

In the early days of learning to breastfeed, there may be times when you feel like tossing in the nursing bra and reaching for a bottle. You may be tempted to believe those advisers who suggest that formula feeding is easier to just as good. Or you may worry that you're "not the type of mother" who succeeds at breastfeeding. Yet when you consider how breastfeeding benefits your baby, your family, and yourself, you will find the determination you need to overcome any obstacles and master the womanly art of breastfeeding. What's good for baby is also good for mother. When mothers follow nature's lead and breastfeed their babies, their own bodies benefit—so do their budgets!

Breastfeeding Benefits for Mothers:

- **Reduces the risk of breast cancer.** Women who breastfeed reduce their risk of developing breast cancer by as much as 25 percent. The reduction in cancer risk comes in proportion to the cumulative lifetime duration of breastfeeding. That is, the more months or years a mother breastfeeds, the lower her risk of breast cancer.
- **Reduces the risk of uterine and ovarian cancer.** One of the reasons for the cancer-fighting effects of breastfeeding is that estrogen levels are lower during lactation. It is thought that the less estrogen available to stimulate the lining of the uterus and perhaps breast tissue also, the less the risk of these tissues becoming cancerous.
- **Lessens osteoporosis.** Non-breastfeeding women have a four times greater chance of developing osteoporosis than breastfeeding women and are more likely to suffer from hip fractures in the post-menopausal years.
- **Benefits child spacing.** Since breastfeeding delays ovulation, the longer a mother breastfeeds the more she is able to practice natural child spacing, if she desires. How long a woman remains infertile depends on her baby's nursing pattern and her own individual baby.
- **Promotes emotional health.** Not only does breastfeeding benefit a mother's body, it also benefits her mind. Studies show that breastfeeding mothers show less postpartum anxiety and depression than do formula-feeding mothers.
- **Promotes postpartum weight loss.** Breastfeeding mothers showed significantly larger reductions in hip circumference and more fat loss by one month postpartum when compared with formula-feeding moms. Breastfeeding mothers tend to have an earlier return to their pre-pregnant weight.
- **Costs less to breastfeed.** It costs around \$1,200 a year to formula-feed your baby. Even taking into consideration the slight increase in food costs to a breastfeeding mother, the American Academy of Pediatrics estimates that a breastfeeding mother will save around \$400 during the first year of breastfeeding.

Benefits of Breastfeeding for Mom

Breastfeeding is a wonderful gift for you as well as your baby.

Release of Good Hormones

Many mothers feel fulfillment and joy from the physical and emotional communion they experience with their child while nursing. These feelings are augmented by the release of hormones, such as:

- **Prolactin:** Produces a peaceful, nurturing sensation that allows you to relax and focus on your child.
- **Oxytocin:** Promotes a strong sense of love and attachment between the two of you.

These pleasant feelings may be one of the reasons so many women who have breastfed their first child choose to breastfeed the children who follow.

Health Benefits

Breastfeeding provides health benefits for mothers beyond emotional satisfaction.

1. Mothers who breastfeed recover from childbirth more quickly and easily. The hormone oxytocin, released during breastfeeding, acts to return the uterus to its regular size more quickly and can reduce postpartum bleeding.
2. Studies show that women who have breastfed experience reduced rates of breast and ovarian cancer later in life.
3. Some studies have found that breastfeeding may reduce the risk of developing type 2 diabetes, rheumatoid arthritis, and cardiovascular disease, including high blood pressure and high cholesterol.
4. Exclusive breastfeeding delays the return of the mother's menstrual period, which can help extend the time between pregnancies. (*Note: Exclusive breastfeeding can provide a natural form of [contraception](#) if the mother's menses have not returned, the baby is breastfeeding day and night, and the baby is less than six months old.*)

Practical Added Bonuses

There are quite a few practical advantages to breastfeeding as well— bonuses the entire family can appreciate.

- Human milk is much less expensive than formula. During nursing you will need, at most, an extra 400 to 500 calories daily to produce sufficient milk for your baby, while formula can cost between \$4 and \$10 per day, depending upon the brand, type (powdered versus liquid), and amount consumed.
- At night, putting a baby to your breast is much simpler and faster than getting up to prepare or warm a bottle of formula. (Your partner can make night feedings even easier by changing the baby and bringing her to you for nursing.)
- It's wonderful, too, to be able to pick up the baby and go out—whether around town or on longer trips—without having to carry a bag full of feeding equipment.
- Breastfeeding is also good for the environment, since there are no bottles to wash or formula cans to throw away.

The Top Benefit: Maternal Fulfillment

As welcome as all of these benefits are, though, most mothers put the feeling of maternal fulfillment at the top of their list of reasons for breastfeeding.

Breastfeeding provides a unique emotional experience for the nursing mother and the baby. Breastfeeding is the one parenting behavior that only the mother can do for her baby, creating a unique and powerful physical and emotional connection. Your partner, the baby's siblings, and other relatives can all appreciate the new member of the family being welcomed in such a loving way.

Comment/Yorum

Eng

There are a lot of benefit from the perspective of the mother.

TR

Anneye 7 faydadan söz edilmektedir. Bebeğe faydalı olan, anneye de faydalıdır, bedensel olma ötesinde bütçesine de katkıda bulunur. Başlıca faydalar:

- 1) Meme kanser riskinde azalma sağlar. Ne kadar uzun emzirirse o kadar oran artar.
- 2) Uterus ve yumurtalık kanser oranı da azalır.
- 3) Osteoporoz azalır.
- 4) Gebelikte çocuklar arası süre uzar/gebeliği önler.
- 5) Ruhsal sağlığa yol açar.
- 6) Post-partum kilo kaybını kolaylaştırır.
- 7) Ödenecek ücret azalır. 1,200US Dolar harcama yerine 400US Dolar ilk yılda maliyeti olmaktadır.

Mutluluk hormonları salınır:

- 1) Prolaktin. Barışçıl, insancıl hisler, daima gevşek ve bebeğe merkez edinen yaklaşım içindedir.
- 2) Oksitosin. Güçlü bir sevgi oluşturur ve anne ve bebek bağlantısını güçlendirir.

Sağlık Faydaları:

- Ruhsal tatmin ötesinde yarar gözlenir.
 - Doğumu hemen atlatır, postpartum kanamalar oluşmaz.
 - Yaşamda annede kanser oranında azalma olur.
 - Tip 2 Diyabet, romatoid Artrit, kardiyovasküler hastalıklar, yüksek tansiyon ve kolesterolde oluşan risk oranında düzelme gözlenir.
 - Doğal gebeliğin önleyicisidir.
 - Pratik eklenen ödüller.
 - Ekonomiktir.
 - Hazırlaması, beslenmeye geçiş pratik ve kolaydır.
 - Bebeği alıp yola gidilebilir, hazırlanacak malzemeler yoktur.
 - Şişe yıkanması, besin hazırlama kapları ve çevreyi kirletecek yaklaşım ve malzeme olmaz.
- Bir anne olarak bebeğini besleme, büyüme ve gelişmesini izlemek, bebek bakım bilgisini yaparak öğrenmek, önemli bir kazanç ve sevmenin bir yoluna hoş geldin demektir.

2) How Breastfeeding Benefits Mothers' Health

<https://www.scientificamerican.com/article/breastfeeding-benefits-mothers/>

By [Katherine Harmon](#) on April 30, 2010

- Feeding infants with breast milk has been shown to improve baby health and even IQ, but the benefits of breastfeeding also appear to stay with mothers for years to come, lowering risks of cardiovascular disease and cancer

- The benefits of breast milk for babies are numerous. Lower rates of childhood obesity, decreased incidence of asthma and even [better brain development](#) are all linked with drinking more of mother's milk in infancy, and despite decades of research and promising marketing claims, the formula industry has not caught up to mother nature in the milk department.

But even if technicians could develop a better food for infants, researchers are now realizing that skipping the lactation phase would be problematic for mothers' health. In fact, not breastfeeding after giving birth seems to put women at higher risk for breast and ovarian cancer, diabetes, cardiovascular disease and many other serious health conditions.

The mechanisms behind these increased risks are still being sorted out, but researchers think that by not engaging in the process that the body prepares for during pregnancy, many crucial systems can go out of whack. And the effects can last for decades after children are weaned.

"The normal physiology is breastfeeding after pregnancy," says [Alison Stuebe](#), an assistant professor in the Division of Maternal Fetal Medicine at the University of North Carolina in Chapel Hill, who describes breastfeeding as the fourth trimester of pregnancy. When women cannot or choose not to breastfeed, "there are myriad consequences, and we're just figuring them out," she says.

This image, based on medical imaging and computer rendering by [the Visual MD](#), reveals the some of the biological systems affected during lactation, many of which are now thought to have lasting effects on a woman's health.

Costs of not nursing

About 85 percent of U.S. women have at least one child, and based on information about the virtues of breast milk for all those babies, most health agencies recommend that when biologically possible and safe women breastfeed infants exclusively for the first six months with the option of introducing complementary foods in addition to breast milk through 12 months.

Almost three quarters of women in 2005 (the latest year for which data are available) started breastfeeding their infants shortly after birth. By six months, however, only 42 percent of women were still [feeding their babies](#) any breast milk at all (with 12 percent still feeding exclusively breast milk at that point). Considering the improved health outcomes for the infants alone, the U.S. could save about \$13 billion each year on medical costs if 90 percent of women nursed their infants exclusively for the first six months, according to an analysis by led by [Melissa Bartick](#) of the Department of Medicine at Cambridge Health Alliance and Harvard Medical School, [published March 2010 in the journal Pediatrics](#). And that sum says nothing of the money that might be saved on health costs for mothers if they breastfed, which Bartick estimates would be "significant."

In a study of data from 139,681 postmenopausal women in the U.S., those who breastfed for less than 12 months during their reproductive years had a higher risk for cardiovascular disease, diabetes, hyperlipidemia and hypertension than women who had lactated for more than a year in total. For example, among women who had children, those who did not breastfeed had a 42.1 percent chance of developing hypertension, where mothers who breastfed for at least 12 months had a 38.6 percent chance, according to an analysis led by [Eleanor Schwarz](#), an assistant professor of medicine, obstetrics, gynecology and reproductive sciences at the University of Pittsburgh, and [published May 2009 in Obstetrics & Gynecology](#). For women who never become pregnant, many of their risks seem to be closer to those who have children and breastfed.

Mobilizing mothers' fat

Those breastfeeding benefits accrue in part because nursing can start to break down some of the fat that accumulates in women's bodies during pregnancy. At first, some mothers despair for their figures because having children generally leads to thicker midsections and thighs as women's bodies change to nourish a developing fetus and boost stores for feeding the baby once it is born. Although not optimal for long-term health, this extra weight serves an important evolutionary function.

"Clearly the woman's body is positioning itself to be able to put out an extra meal for another body, and it just takes saving calories," Schwarz explains. Producing milk for a single infant requires about 480 extra calories a day. Various analyses have come back with different information of the ability of breastfeeding to help women slim down more quickly after pregnancy. New research presented in March from Schwarz and Candace McClure, a postdoctoral researcher at the University of Pittsburgh's Department of Epidemiology, found that women who had not breastfed had an average of about seven and a half additional centimeters of fat around their waists (as gleaned from CT scans).

But as Schwarz points out, "not all body fat is created equal." The fat that tends to accumulate during pregnancy is in part visceral fat, which sits around organs in the midsection and can put people more at risk for heart and other types of diseases. Their CT study also found that, of the 351 women aged 45 to 58, those who had children and not breastfed had 28 percent more visceral fat than those who had consistently breastfed.

Lactating women appear to be better at mobilizing these new fat stores than new mothers who are using [formula](#). And not shedding those extra post-pregnancy pounds may put women at risk for complications in later pregnancies as well as metabolic syndrome and related health problems, Stuebe and colleagues noted in [a January 2009 review article published in the American Journal of Perinatology](#).

One big concern about these additional fat stores is their potential role in upping chances for diabetes later in life. Pregnancy itself can decrease glucose tolerance and raise insulin resistance, hence the prevalence of gestational diabetes. But research is accumulating to suggest that the process of lactation works to re-establish the balance of these key sensitivities. According to [a cohort analysis by Stuebe et al.](#), the longer a woman had [lactated](#) during her reproductive years, the less likely she was to get type 2 diabetes, regardless of BMI, which can be a risk factor for the disease.

Women who develop gestational diabetes are generally thought to be at higher risk for developing regular diabetes later in life. But new research has shown that this increased risk is significantly lessened for women who breastfeed for more than nine months, Schwarz points out. She adds that being able to tell women who have had gestational diabetes that breastfeeding will lower their chances of getting diabetes later has given her and many of her patients renewed hope for their future health.

Helping heart health

Breastfeeding helps mothers' cardiovascular health in very specific ways, Schwartz found in her analysis of postmenopausal women.

"Women who reported longer histories of lactation had significantly lower rates of risk factors for cardiovascular disease, even after adjusting for sociodemographic and lifestyle variables, family history and BMI category," Schwarz and her colleagues concluded in their May 2009 analysis. In fact, those who had breastfed for more than 12 months were about 10 percent less likely to develop cardiovascular disease compared with women who had not breastfed.

Recent research has shown aortic calcification, a risk factor for stroke, heart attack and other cardiovascular complications, was "significantly more likely" to be found in mothers who had not breastfed than in those who had for at least three months—even after adjusting for lifestyle, family history, socioeconomic status, BMI and other health issues, according to a study led by Schwarz that was [published in January 2010 in Obstetrics & Gynecology](#).

Schwarz and others are still trying to figure out why not nursing might lead to hardened arteries and other cardiovascular risk factors. One possible explanation hinges on cholesterol levels, which increase during pregnancy. For mothers who do not breastfeed, levels of triglycerides seem to take longer (by about three months) to reach pre-pregnancy levels. Nursing mothers also seemed to have higher levels of high-density lipoprotein (HDL, or so-called "good cholesterol") while they were breastfeeding. But these shorter-term effects do not entirely clear up some of the questions surrounding heart disease later in life.

Better long-term heart health for breastfeeding mothers might stem in part from blood pressure, which was "significantly higher" in mothers who had not breastfed than in those who had (120 mmHg and 115 mmHg, respectively), according to the 2010 Schwarz study. Research has suggested that one in 29 cases of postmenopausal hypertension could be avoided if mothers breastfed for at least 12 months during their reproductive years.

Risks for cardiovascular disease in lactating versus non-lactating mothers seem to be firm regardless of BMI, which is usually a factor for both conditions. This finding "indicates that lactation does more than simply reduce a woman's fat stores," Schwarz and her colleagues wrote in their May 2009 paper. They proposed that hormonal stimulation is likely playing a substantial role.

The [neurotransmitter oxytocin](#), which is released during nursing, seems to help women get to that "blissed-out state" many women have while breastfeeding, Stuebe says. And this relaxed state of mind can help women cope with all the stresses "that go with being a new mom." Simply getting the body in the habit of releasing this hormone by frequent nursing can pay off long after weaning. "Moms who breastfeed over long times get really good at releasing oxytocin" at other times, which activates the parasympathetic nervous system and can help alleviate stress later in life, Stuebe says.

Cutting chances of cancer

Perhaps the most well-known maternal benefit of breastfeeding is reduced risks for breast and ovarian cancers. New research is underscoring that link and shedding new light on some of the ways in which not nursing puts some women at higher risk.

For every 12 months a woman breastfed, her [risk of breast cancer](#) dropped 4.3 percent, Stuebe and Schwarz noted in [a 2010 Journal of Perinatology paper](#). (Scientific American is part of Nature Publishing Group.) And for women who have a family history of breast cancer, breastfeeding seemed to decrease the risk of getting it, according to an analysis of data from more than 60,000 women led by Stuebe, [published August 2009 in the Archives of Internal Medicine](#). Whereas the potent drug Tamoxifen can reduce risk for those with a mother or sister who had breast cancer by about half, "moms who had breastfed at all had about 60 percent less risk," Stuebe says. "That's a pretty significant statistic," she adds.

The mechanisms behind these statistics remain unclear. Women who had taken medication to suppress lactation also seemed to have a lower risk of developing breast cancer compared with women who gave birth but did not breastfeed, according to recent research by Stuebe and colleagues (though these drugs have questionable safety records). These findings hint that the changes in breasts that become engorged with milk that is not expressed could up the chances for breast cancer down the road.

Ovarian cancer risk also appears to be partially tied in with breastfeeding. When compared with women who had breastfed for at least 18 months, mothers who never breastfed had a 1.5-fold increased risk of developing ovarian cancer, according to one analysis. Another study, [published November 2009 in Cancer Causes & Control](#), found that the protective effect of lactating on ovarian cancer was strongest if women had breastfed their last child.

One hypothesis for the ovarian cancer connection is that small infections that often occur during breastfeeding (known as mastitis) might serve to protect the body against tumors in the future. Antibodies that develop to fight the mastitis would persist in the body, and corollary evidence has shown that women who breastfed but did not have these antibodies were more likely to develop ovarian cancer than those who breastfed and did have the antibodies.

Assessing limitations

Although knowledge on the health rewards of breastfeeding only seems to be growing, many of these apparently protective effects do seem to diminish with time. In Schwarz's study of postmenopausal women, those aged 60 to 69 were only significantly less likely to get cardiovascular disease than those who had [formula-fed](#) if they had lactated for a total of 13 to 23 months, according to the analysis published last May. And women who were 70 to 79 years old appeared to be at about the same risk for cardiovascular disease as their formula-feeding compatriots—regardless of how much they had breastfed during their younger years.

Despite the multitude of studies on maternal health outcomes and breastfeeding, many are small or based on methodologies that can fall prey to unintentional biases. "Findings must be interpreted with caution," Stuebe and her colleagues noted in their 2009 American Journal of Perinatology paper. Although many studies try to control for lifestyle, they asserted, "women who breastfeed are more likely to engage in other healthy behaviors" and these are challenging to fully take into account. There also might be a sort of long-term feedback loop, in which women who were breastfed as infants would be more likely to breastfeed their own children, thus benefiting from both their own early breast milk diet and the effects of lactating themselves, as Schwarz has pointed out.

No matter how many factors researchers have controlled for, confounding variables continue to abound. Big questions about the complex relationship between breastfeeding and obesity remain. Although some studies have tied breastfeeding to faster weight loss, the dynamic is much more complicated. Being obese at delivery has also been linked to difficulty breastfeeding and decreased release of the hormone prolactin, which stimulates lactation, as Stuebe pointed out in her 2009 paper. So teasing out finer elements of causation—and possibilities for mitigation—continues to challenge researchers looking for effective ways to study breastfeeding.

The best way to study the effects of breast and formula feeding on mothers and children would be to design a long-term, randomized controlled trial, which is the research gold standard in many medical fields. But given the accumulated literature on the benefits of breastfeeding, such a trial would be "ethically problematic," depriving half of the mother-baby dyads, Stuebe and her colleague noted in their 2009 paper.

One subtle but central adjustment in both the research and popular opinion has been to shift the act of breastfeeding from the experimental group to the baseline assessment. "Breastfeeding is the standard to which all other feeding methods should be compared," Bartick says. "It's not best, it's not optimal—it's just normal." Although many of the results from studies that use formula feeding as a baseline remain valid, the mindset behind it is overdue for change, she says. When assessed as the norm, breastfeeding should not bestow benefits as much as formula feeding increases risks.

The research is still evolving, however, and Stuebe is not sure we have found all of the reasons breastfeeding should be a no-brainer health choice when it is an option. "I think there are going to be many answers," she says. "It's like saying, 'How does exercising improve health?' It's the physiological norm."

Comment/Yorum

Eng

The breast-feeding benefit to mother and infant depends on the physiological condition of them; mother and infant. So, the evidences are diverse according the individual conditions.

TR

Ekonomik boyutu belirgindir. %85 Amerikalının bir çocuğu vardır. 2005 yılı verilerine göre %45 anne ilk 6 ay boyunca sadece anne sütü vermiş, %12 annenin emzirmeye devam ettiği gözlenmiştir. 13 Milyar Dolar bir kazançtan söz edilmektedir.

Vücut yağlarının mobilizasyonu: Emzirten anneler günde 480 ekstra kalori harcanmaktadır. 45-58 yaşlarındaki emziren ve emzirmeyen annelerin viseral yağları CT ile karşılaştırılmış ve emzirmeyenlerde belirgin fazlalık saptanmıştır. Tip 2 Diyabette az görülmektedir.

Kalp sağlığına yardımı: Yaşam tarzı, aile hikayesi, sosyoekonomik durum, vücut kitle indeksi, diğer sağlık durumları da dikkate alınsa bile, belirgin olarak emziren annelerde risk düşüktür. 60-69 yaş arasındaki annelerde etkin belirgin iken, 70-79 yaşlarında bu etkinlik belirgin değildir.

Kanser olma olasılığını kesmek: Anne 12 ay emzirirse kanser gelişme oranı %4, 3 oranına düşer. 18 ay emziren anneler ile emzirmeyenlerdeki ovarian kanser oranı farkı 1,5 kat daha azdır.,

Etkinlik hangi boyuttadır, sorusunun cevabı, sağlık için ne kadar spor/egzersiz yapmalıdır gibidir. Her bireye ve her bedene göre değişmektedir.

Sunum/Slide: Emziren Anneye Oluşan Yararlar

Emzir-me/Anne Sütü Kursu

19 Mart 2017, 1000 Gün

Ankara

EMZİRMENİN ANNEYE FAYDALARI

Emzirmenin Laktasyon Dönemindeki Faydaları

- Uterin involusyonda hızlanma,
- Annenin strese olan cevabında azalma,
- Gebelik öncesi kiloya daha çabuk dönme ve
- Postpartum anovulasyonda uzama sayılmaktadır.

Uterin involusyonda uzama:

- Emzirme ile beraber arka hipofizden salgılanan oksitosin uterus involusyonunu hızlandırır.
- Annede postpartum kanama ve dolayısı ile de anemi riskini azaltır

Annenin strese olan cevabında azalma:

- Nöroendokrin peptitler, oksitosin ve prolaktin stres aksının önemli bileşenleridir
- Anne bebek bağlanması üzerine pozitif etkileri mevcuttur
- Emzirme, anne ile bebeği arasında yakın ve sevgi dolu bir ilişki kurulmasına yardımcı olur.
- Emziren anneler bebeklerine daha şefkatli davranırlar.
- Bebeklerini terk etme veya hırpalama olasılığının daha düşük olduğu gösterilmiştir

Doğum sonrası kiloya geri dönme:

- Emzirme annenin doğum öncesi kiloya dönmesi kolaylaştırır.
- Emzirme ile günde yaklaşık olarak 500 kcal harcamaktadırlar.
- Doğum sonrası kilo kaybı, yağ dokusu kaybı ve deri altı kıvrım kalınlığında azalma

Postpartum anovulasyonda uzama:

- Emzirme ile yükselen prolaktin düzeyleri hipotalamus ve over üzerine etki ederek
- Over fonksiyonlarını etkilemekte ve ovulasyonu önlemektedir.
- Amenorenin süresi ve luteal fonksiyonların geri dönüşü değişkenlik göstermektedir.
- Güvenilir bir kontrasepsiyon yöntemi olarak görülmemelidir

Emzirmenin Uzun Dönemdeki Faydaları

- Meme ve over kanseri riskinde azalma,
- Kardiyovasküler hastalık riskinde potansiyel bir azalma ve
- Tip 2 diabetes mellitus riskinde azalma sayılmaktadır.
- Emzirme ve osteoporoz ilişkisi netlik kazanmamıştır.

Kanser:

- Östrojene maruziyetin daha az olmasına bağlı olarak meme ve over kanseri riskinin azaldığı
- En az 12 ay süre ile emziren kadınlarda over kanseri riski %28 daha düşük bulunmuştur

Kardiyovasküler hastalık

- Hipertansiyon, diyabet, hiperlipidemi ve Kardiyovasküler hastalık açısından az riskli olduğu
- Yaşamları süresince 2 yıl emziren annelerde koroner arter hastalığı riskinin azaldığı

Diabetes Mellitus:

- Plasental hormonların anne üzerindeki anti-insülin etkileri gebelikte insülin rezistansı
- İnsülin metabolizmasındaki bu değişiklikler, gestasyonel diyabete sebep olabilirken
- İleriki yaşamda da tip 2 diabetes mellitus riskini artırabilmektedir.
- Emzirme ile insülin duyarlılığının düzeldiği ve
- Doğumdan sonraki yıllarda tip 2 diabetes mellitus riskini azalttığı gösterilmiştir.

Osteoporoz:

- Emzirmenin osteoporozu riskini azaltıp azaltmadığı açık değildir.
- Emzirme öyküsünün osteoporozu karşı koruyucu bir etkisinin olduğu gösterilmiştir.
- Emzirme ile kemik mineral dansitesi ve osteoporoz arasında ilişki gösterilemeyenlerde vardır